



شركة المصنع السعودي لأجهزة الإطفاء
SAUDI FACTORY FOR FIRE EQUIPMENT Co.



● **STANDARD** (Models: SF30/SF30A)

● **EN671 CERTIFIED**

FIRE HOSE REELS

Manual/Automatic



We are very proud to be a vital part of the development of Saudi Arabia and Middle East since **1983** in fire protection industry.

Rev:03-10-2019

About us

SFFECO is an ISO9001 certified manufacturing company, a market leader and specialize in manufacturing of fire-fighting equipment in the world. SFFECO has a long standing established reputation for pioneering innovation ever since its foundation in 1983.



SFFECO has its own state-of-the-art manufacturing plants in Riyadh & Dubai producing end-to-end range of products for the firefighting industry matching international standards in quality. SFFECO with its innovative approach provides the entire gamut of products that caters to the needs of the Fire Protection and Fire Fighting industry. This makes SFFECO a one-stop-shop for customers, fulfilling their end-to-end needs in products, solutions and services for the industry.

SFFECO continually expands upon its knowledge and services to keep its clients updated with the latest Fire Fighting Technology in the world. The product range manufactured by SFFECO confirms and holds approval to international standards.

Product Specifications

- The Fire Hose Reels are designed and manufactured as per BS EN671 - 1.
- Hose reel discs are made of 1.2mm Cold Rolled Steel Sheet, painted with electrostatic powder coating and oven baked at 180°C to 200°C.
- Hose reel side plates are protected with a polyester powder coating that complies to salt spray test requirement.
- Hose reel drum has formation of hydraulically pressed ribs to give extra strength and to avoid twisting.
- The outer edges are rolled over to give a safe handling edge on the outer rims and better appearance.
- Automatic fire hose reels are available with an internal valve built into the hose reel unit which opens within 3 revolutions of the hose reel as the hose is pulled out and closes when the hose is wound back to the reel.



Semi-Rigid Fire Hose



Model SF25R:

SFFECO Semi-Rigid Fire Fighting Hose is made of rubber, in red colour, designed and manufactured in compliance with BSEN694:2014 Standard.

Specifications & Selection




*All Dimensions are in (mm)

Swinging Arm Type Fire Hose Reels

Manual	Automatic
SF 30 SA - 25 <input type="radio"/>	SF 30 A - SA - 25 <input type="radio"/>

Swinging Arm Fire Hose Reels are designed for mounting on flat walls, where access is limited in a recessed cabinet or any riser shaft. Maximum swinging angle if wall mounted is 180°. Hose reel diameter is 580mm and hose length is 30m.



Available upon customer requirement:



*All Dimensions are in (mm)

Fixed Type

Manual	Automatic
SF 30 F - 25 <input type="radio"/>	SF 30 A - F - 25 <input type="radio"/>



*All Dimensions are in (mm)

Swinging Pipe Type

Manual	Automatic
SF 30 SP - 25 <input type="radio"/>	SF 30 A - SP - 25 <input type="radio"/>

Fixed Type Fire Hose Reels are specially designed for easy mounting on a flat wall and easy accessibility.

Swinging Pipe Fire Hose Reels are designed for mounting on flat wall where access is limited in a recessed cabinet or any riser shaft. Maximum swinging angle if wall mounted is 180°. Hose reel diameter is 580mm and hose length is 30m.

Other Accessories (Valves & Nozzles)



Nozzle - Model C:
(Brass & Chrome Plated)
Brass & Chrome Plated without handle for 3 way control.
(Jet - Spray - Shut off)



Landing Valve:

1" 1.5" 2.5"

Body is Chrome plated and Hand wheel with Steel, Epoxy coated, WP: 16 bar.



Angle Valve:

1.5"

1.5" Angle Valve
UL/FM (Optional)

Plastic Nozzle Model A: *



Plastic Nozzle with 3 way control.
(Jet - Spray - Shut off)

Valve and Nipple: *



1"

Valve or Nipple shall be of 1" ball valve and body made of brass



Pressure Restricting Angle Valve:

1.5"

UL/FM (Optional)

* EN 671 Approved Hose Reels are provided with Plastic Nozzle (Model A) and 1" Ball Valve & Nipple.

شركة المصنع السعودي لأجهزة الإطفاء
SAUDI FACTORY FOR FIRE EQUIPMENT Co.



FIRE HOSE REEL



FIRE HOSE



PUMPS



BLADDER TANKS



FIRE CABINETS



FUEL TANKS



SFFECO1230
Utilise
3M™ Novec™
Fire Protection Fluid
(UL/FM)



SFFECO227
Utilise
HFC - 227ea
Clean Agent Gas (UL/FM)



CO2 SYSTEM



RESCUE VEHICLES



FIRE DOORS AND FRAMES



THERMO-ACT SYSTEM



EXTINGUISHERS



FOAM CONCENTRATES



HYDRANTS

In line with our policy of continuous product improvement, SFFECO reserves the right to modify specifications without prior notice.

Factory & Head Office - Riyadh

2nd Industrial Area, Al-Kharj Road, Riyadh, KSA
P.O. Box: 4441, Riyadh 14334
Tel: +966 11 2650070, Fax: +966 11 2652190
E-mail: riyadh@sffeco.com.sa

SFFECO Global - Dubai

P.O. Box: 261318, JAFZA South, Dubai U.A.E.
Tel: +971 4 880 9890, Fax: +971 4 880 9822
E-mail: sales@sffecoglobal.com

Jeddah Branch

P.O. Box: 16769, Jeddah – 21474, KSA
Tel : +966 12 670 6009, Fax: +966 12 676 0307
E-mail: jeddah@sffeco.com.sa

Dammam Branch

P.O. Box: 7162, Dammam – 31462, KSA
Tel : +966 13 8351961, Fax: +966 13 8351968
E-mail: dammam@sffeco.com.sa

Madinah Branch

Tel : 0148660959, 0148283256, Fax: 0148660969
E-mail: madinah@sffeco.com.sa



WWW.
SFFECO.com

Rev:03-10-2019