

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20140505-EX15997  
**Report Reference** EX15997-20140219  
**Issue Date** 2014-MAY-05

**Issued to:** SAUDI FACTORY FOR FIRE EQUIPMENT CO  
2ND INDUSTRIAL AREA, AL-KHARJ RD  
PO BOX 58469, RIYADH, 11515, SA


**This is to certify that representative samples of** Clean Agent Extinguishing System Units  
SF-90225-DS

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** UL 2166 - Standard For Halocarbon Clean Agent Extinguishing System Units

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle:  with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/contactus](http://www.ul.com/contactus)



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20140505-EX15997  
**Report Reference** EX15997-20140218  
**Issue Date** 2014-MAY-05

**Issued to:** SAUDI FACTORY FOR FIRE EQUIPMENT CO  
2ND INDUSTRIAL AREA, AL-KHARJ RD  
PO BOX 58469, RIYADH, 11515, SA


**This is to certify that representative samples of** Clean Agent Extinguishing System Units  
SF-92221-FM

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** UL 2166, Halocarbon Clean Agent Extinguishing System Units

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle:  with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/contactus](http://www.ul.com/contactus)




## Clean-agent Extinguishing System Units

### COMPANY

#### SAUDI FACTORY FOR FIRE EQUIPMENT CO

2ND INDUSTRIAL AREA  
AL-KHARJ RD  
PO BOX 58469  
RIYADH, 11515 Saudi Arabia

EX15997

Trademark and/or Tradename: 

Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**Engineered, Halocarbon**, System Unit(s): [FK-5-1-12 engineered extinguishing system units, 500 psig](#)

**Engineered, Halocarbon**, System Unit(s): [HFC-227ea engineered extinguishing system units, 25 bar](#)

**Engineered, Halocarbon**, System Unit(s): [HFC-227ea engineered extinguishing system units, 360 psig](#)

**Engineered, Halocarbon**, System Unit(s): [HFC-227ea engineered extinguishing system units, 360 psig](#)

**Engineered, Halocarbon**, System Unit(s): [HFC-227ea engineered extinguishing system units, 42 bar](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating Chinese GB5100/2011 CCCF storage containers, 610 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating DOT/TC storage containers, 360 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating DOT/TC/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating INDIA PESO/IS storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating UN/TC/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating UN/TPED/ISO storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating UN/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating UN/TPED/TR CU/ISO/DOT/TC storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating DOT/TC storage containers, 360 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating DOT/TC/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating INDIA PESO/IS storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating UN/TC/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating UN/TPED/ISO storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating UN/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

**Engineered, Halocarbon**, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating UN/TPED/TR CU/ISO/DOT/TC storage containers, 360, 610, or 725 psig](#)

**Pre-Engineered, Halocarbon**, System Unit(s): [HFC-227ea pre-engineered extinguishing system units, 240/360 psig](#)

**Pre-Engineered, Halocarbon**, System Unit(s): [HFC-227ea pre-engineered extinguishing system units, 240/360 psig](#)

[Last Updated](#) on 2023-10-27

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Carbon Dioxide Extinguishing System Units, General Use

## COMPANY

### SAUDI FACTORY FOR FIRE EQUIPMENT CO

2ND INDUSTRIAL AREA

AL-KHARJ RD

PO BOX 58469

RIYADH, 11515 Saudi Arabia

EX28613

*View model for additional information*

**High pressure carbon dioxide extinguishing system units**, Model(s): [Actuation components](#), [Discharge Components](#), [Extinguishing System Units](#), [Miscellaneous equipment](#)

Last Updated on 2023-07-19

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Carbon Dioxide Extinguishing System Units, Total Flooding

## COMPANY

### SAUDI FACTORY FOR FIRE EQUIPMENT CO

2ND INDUSTRIAL AREA

AL-KHARJ RD

PO BOX 58469

RIYADH, 11515 Saudi Arabia

EX28613

*View model for additional information*

**High-Pressure Extinguishing System Nozzles**, Model(s): [SFR-CDES-DC-26](#), [SFR-CDES-DC-27](#), [SFR-CDES-DC-28](#)

Last Updated on 2022-06-07

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Foam Liquid Concentrates

## COMPANY

### SAUDI FACTORY FOR FIRE EQUIPMENT CO

2ND INDUSTRIAL AREA  
AL-KHARJ RD  
PO BOX 58469  
RIYADH, 11515 Saudi Arabia

EX6069

*View model for additional information*

**Alcohol Resistant Aqueous Film Forming Foam (AR-AFFF)**, Low-expansion Foam Liquid Concentrate(s): SF-HPAR-AFFF 3/3, SF-HPAR-AFFF 3/6, SF-KSA AR -AFFF1X1 C6, SF-KSA AR-AFFF1X3 C6, SF-KSA AR-AFFF3X6 C6, SF-KSA ECOPLUS AR- AFFF 3X3 C6, SFR - ECO C6 1X3 AR-AFFF, SFR 3X3% AR - AFFF, SFR 3X6% AR - AFFF

**Alcohol Resistant Film Forming Fluoroprotein (AR-FFFP)**, Low-expansion Foam Liquid Concentrate(s): SF-KSA AR-FFFP3X3, SF-KSA AR-FFFP3X6C6

**Aqueous Film Forming Foam (AFFF)**, Low-expansion Foam Liquid Concentrate(s): SF-HP AFFF 3%, SF-HP AFFF 6%, SF-KSA AFFF1% C6, SF-KSA AFFF3% C6, SF-KSA AFFF3% FREEZE PROTECT, SF-KSA AFFF6% C6, SFR – ECO 1% AFFF, SFR AFFF 3%, SFR AFFF 6%, SFR-ECO C6 AFFF 3%, SFR-ECO C6 AFFF 6%

**Film Forming Fluoroprotein (FFFP)**, Low-expansion Foam Liquid Concentrate(s): SF-KSA FFFP3%, SF-KSA FFFP6%, SFR – 3% FFFP, SFR – 6% FFFP

**Fluoroprotein**, Low-expansion Foam Liquid Concentrate(s): SF-HP FP 3%, SF-HP FP 6%, SF-KSA FP3%, SF-KSA FP6%, SFR – 3% FP, SFR – 6% FP

Last Updated on 2023-10-25

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Foam-discharge Outlets

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX27406

Trademark and/or Tradename:



Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**Foam chamber**, Model(s): [SFD-FS-FC1](#), [SFD-FS-FC100](#), [SFD-FS-FC100-SS](#), [SFD-FS-FC1SS](#), [SFD-FS-FC2](#), [SFD-FS-FC2SS](#), [SFD-FS-FC3](#), [SFD-FS-FC3SS](#), [SFD-FS-FC4](#), [SFD-FS-FC4SS](#), [SFD-FS-FC5](#), [SFD-FS-FC5SS](#), [SFD-FS-FC65](#), [SFD-FS-FC65-SS](#), [SFD-FS-FC80](#), [SFD-FS-FC80-SS](#), [SFD-FS-FM1](#), [SFD-FS-FM1SS](#), [SFD-FS-FM2](#), [SFD-FS-FM2SS](#), [SFD-FS-FM3](#), [SFD-FS-FM3SS](#)

Last Updated on 2024-04-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Foam Monitors

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX27289

*View model for additional information*

Model(s): [SF-FS-FM 2000-3000-4000VF-D](#), [SF-FS-FM-1000-1500-2000VF-D](#), [SF-FS-FM-1000FF-D](#), [SF-FS-FM-2000FF-D](#), [SF-FS-FM-500-750-1000VF-D](#), [SF-FS-FM-500-750VF-D](#), [SF-FS-FM-500FF-D](#), [SF-FS-FM-675FF-D](#), [SF-FS-FM-750FF-D](#)

Last Updated on 2024-04-22

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."



# Proportioners, Foam Concentrate

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX26925

Trademark and/or Tradename: "SFFECO"

Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**FIXED IN-LINE INDUCTOR**, Model(s): [SF-FS-FIP-159-D](#), [SF-FS-PIP-119-D](#)

**PORTABLE IN-LINE INDUCTOR**, Model(s): [SF-FS-AFP-40F-D](#), [SF-FS-AFP-40P-D](#), [SF-FS-PIP-59-D](#)

**RATIO-FLOW CONTROLLER WITH BLADDER TANK**, Model(s): [20 to 4000 gal capacity ASME for vertical and horizontal installation](#)

**RATIO-FLOW CONTROLLER WITH BLADDER TANK**, Model(s): [25-3963 gallon capacity ASME bladder tank for vertical installation](#)

**RATIO-FLOW CONTROLLER WITH BLADDER TANK**, Model(s): [53-5300 gallon capacity ASME bladder tank for horizontal installation](#)

Last Updated on 2024-04-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Swinging-type Fire Doors

See General Information for Swinging-type Fire Doors

**SAUDI FACTORY FOR FIRE EQUIPMENT CO**

R22331

2ND INDUSTRIAL AREA

AL-KHARJ RD

PO BOX 58469

RIYADH, 11515 SAUDI ARABIA

Swinging doors may be provided as follows:

Max Rating	Door Type	Steel Covered Mineral Core			
		Steel Stiffened	Composite	Honeycomb Hollow Metal	Honeycomb Sheet Metal
3 Hr	Single with Single Point Lock/Rim, Mortise Fire Exit Hardware 450°F Temperature Rise	X	—	—	—
1 Hr	Single with Single Point Lock/Rim, Mortise Fire Exit Hardware 450 F Temp Rise DoorPair with Astragal Single Point Lock, Mortise Fire Exit Hardware, Flush Bolts / Vertical Rod Fire Exit Hardware 450 F Temp Rise Door	X	—	—	—

Last Updated on 2007-01-19

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Swinging-type Fire Doors, Positive-pressure Tested

## COMPANY

### SAUDI FACTORY FOR FIRE EQUIPMENT CO

2ND INDUSTRIAL AREA

AL-KHARJ RD

PO BOX 58469

RIYADH, 11515 Saudi Arabia

R22331

*View model for additional information*

Model(s): [Pair w/ Astragal, Hollow-Metal \(Steel Stiffened\), 1 hour](#)

Model(s): [Single, Hollow-Metal \(Steel Stiffened\), 1 hour](#)

Model(s): [Single, Hollow-Metal \(Steel Stiffened\), 1 hour](#)

Model(s): [Single, Hollow-Metal \(Steel Stiffened\), 3 hour](#)

Last Updated on 2024-07-03

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Fire Door and Fire Window Frames

[See General Information for Fire Door and Fire Window Frames](#)

**SAUDI FACTORY FOR FIRE EQUIPMENT CO**

R22310

2ND INDUSTRIAL AREA

AL-KHARJ RD

PO BOX 58469

RIYADH, 11515 SAUDI ARABIA

**Door Frames for use as a component in fire door assemblies that meet the requirements of UL10C:**

Three sided steel frame with or without transoms (single swing or pair).

**Door Frames for use as a component in fire door assemblies that meet the requirements of UL10B (neutral pressure):**

Three sided frames with or without transom (single swing or pair).

[Last Updated](#) on 2007-01-19

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."


# Centrifugal Fire Pumps, End Suction

## COMPANY

### SAUDI FACTORY FOR FIRE EQUIPMENT CO

2ND INDUSTRIAL AREA  
AL-KHARJ RD  
PO BOX 58469  
RIYADH, 11515 Saudi Arabia

EX28310

Trademark and/or Tradename: 

Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**Centrifugal Fire Pumps, End Suction**, Model(s): [SFP 100-20 EH](#), [SFP 100-20 EHB](#), [SFP 100-26 EH](#), [SFP 100-26 EM](#), [SFP 100-40 EH](#), [SFP 100-42 EH](#), [SFP 100-50 EH](#), [SFP 150-20 EH](#), [SFP 150-20 EHA](#), [SFP 150-26 EH](#), [SFP 150-26 EM](#), [SFP 150-42 EH](#), [SFP 200-20 EH](#), [SFP 200-20 EHA](#), [SFP 200-65 EM](#), [SFP 250-20 EH](#), [SFP 250-26 EM](#), [SFP 300-20 EH](#), [SFP 300-26 EM](#), [SFP- 300-42 EM- 2G](#), [SFP 400-26 EH](#), [SFP 400-26 EM](#), [SFP 400-32 EM](#), [SFP 400-80 EH](#), [SFP 450-26 EH](#), [SFP 450-26 EM](#), [SFP 450-32 EM](#), [SFP 450-80 EH](#), [SFP 500-12 EM](#), [SFP 500-13 EM](#), [SFP 500-26 EH](#), [SFP 500-26 EM](#), [SFP 500-32 EM](#), [SFP 500-80 EH](#), [SFP 50-20 EH](#), [SFP 50-20 EHA](#), [SFP 50-20 EHB](#), [SFP 50-20 EM](#), [SFP 50-26 EH](#), [SFP 50-26 EM](#), [SFP 50-26 EMA](#), [SFP 50-40 EH](#), [SFP 50-42 EH](#), [SFP 750-26 EM](#), [SFP 750-32 EM](#), [SFP-1000-20 EH-2G](#), [SFP-1000-20 EM-2G](#), [SFP-1000-26 EH-2G](#), [SFP-1000-26 EM-2G](#), [SFP-1000-54 EM-2G](#), [SFP-100-20 EM-2G](#), [SFP-150-20 EM-2G](#), [SFP-150-32 EM-2G](#), [SFP-200-32 EM-2G](#), [SFP-200-65 EM-2G](#), [SFP-250-32 EM-2G](#), [SFP-250-42 EM- 2G](#), [SFP-250-65 EM-2G](#), [SFP-300-65 EM-2G](#), [SFP-400-25 EM- 2G](#), [SFP-400-31 EM-2G](#), [SFP-400-42 EM- 2G](#), [SFP-400-54 EM-2G](#), [SFP-450-25 EM- 2G](#), [SFP-450-31 EM-2G](#), [SFP-450-42 EM- 2G](#), [SFP-450-54 EM-2G](#), [SFP-500-20 EH-2G](#), [SFP-500-20 EM-2G](#), [SFP-500-25 EM- 2G](#), [SFP-500-26 EH-2G](#), [SFP-500-26 EM-2G](#), [SFP-500-31 EM-2G](#), [SFP-500-42 EM- 2G](#), [SFP-500-54 EM-2G](#), [SFP-50-20 EM-2G](#), [SFP-750-20 EH-2G](#), [SFP-750-20 EM-2G](#), [SFP-750-26 EH-2G](#), [SFP-750-26 EM-2G](#), [SFP-750-54 EM-2G](#)

Last Updated on 2024-04-19

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Centrifugal Fire Pumps, Split Case

## COMPANY

### SAUDI FACTORY FOR FIRE EQUIPMENT CO

2ND INDUSTRIAL AREA  
AL-KHARJ RD  
PO BOX 58469  
RIYADH, 11515 Saudi Arabia

EX28311

Trademark and/or Tradename: 

Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**Centrifugal Fire Pumps, Split Case, Single Stage**, Model(s): [SFP 1000-36SM-2G](#), [SFP 1250-29SM-2G](#), [SFP 1250-36SM-2G](#), [SFP 1500-29SM-2G](#), [SFP 1500-61SL5-2G](#), [SFP 1500-61SL6-2G](#), [SFP 2000-29SM-2G](#), [SFP 2000-61SL5-2G](#), [SFP 2000-61SL6-2G](#), [SFP 2500-29SM-2G](#), [SFP 2500-61SL5-2G](#), [SFP 2500-61SL6-2G](#), [SFP 3000-61SL5-2G](#), [SFP 3000-61SL6-2G](#), [SFP 3500-61SL5-2G](#), [SFP 3500-61SL6-2G](#), [SFP 450-37SM-2G](#), [SFP 500-37SM-2G](#), [SFP 750-37SM-2G](#), [SFP1000-12SH](#), [SFP1000-15SH](#), [SFP1000-29SM](#), [SFP1000-30SM](#), [SFP1000-31SM](#), [SFP1000-36SM](#), [SFP1000-40SM](#), [SFP1000-EL31SH](#), [SFP1250-12SH](#), [SFP1250-15SH](#), [SFP1250-29SM](#), [SFP1250-30SM](#), [SFP1250-36SM](#), [SFP1250-EL31SH](#), [SFP1500-15SH](#), [SFP1500-30SM](#), [SFP1500-36SM](#), [SFP150-25SH](#), [SFP150-28SM](#), [SFP150-35SM](#), [SFP150-40SM](#), [SFP150-SN31SH](#), [SFP2000-15SH](#), [SFP200-25SH](#), [SFP200-28SM](#), [SFP200-35SM](#), [SFP200-40SM](#), [SFP200-SN31SH](#), [SFP250-25SH](#), [SFP250-28SM](#), [SFP250-35SM](#), [SFP250-40SM](#), [SFP250-SN31SH](#), [SFP300-25SH](#), [SFP300-28SM](#), [SFP300-35SM](#), [SFP300-40SM](#), [SFP300-SN31SH](#), [SFP400-25SH](#), [SFP400-28SM](#), [SFP400-35SM](#), [SFP400-40SM](#), [SFP400-SN31SH](#), [SFP450-25SH](#), [SFP450-28SM](#), [SFP450-40SM](#), [SFP450-SN31SH](#), [SFP500-25SH](#), [SFP500-28SM](#), [SFP500-31SM](#), [SFP500-32SM](#), [SFP500-37SM](#), [SFP500-40SM](#), [SFP500-SN31SH](#), [SFP750-12SH](#), [SFP750-25SH](#), [SFP750-29SM](#), [SFP750-31SM](#), [SFP750-32SM](#), [SFP750-40SM](#), [SFP750-EL31SH](#), [SFP750-SN31SH](#)

Last Updated on 2024-04-19

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Centrifugal Fire Pumps, Vertical Turbine

## COMPANY

### SAUDI FACTORY FOR FIRE EQUIPMENT CO

2ND INDUSTRIAL AREA

AL-KHARJ RD

PO BOX 58469

RIYADH, 11515 Saudi Arabia

EX28309

Trademark and/or Tradename:



Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**Centrifugal Fire Pumps, Vertical Turbine**, Model(s): [SFP-1000-70VT](#), [SFP-1000-80VT](#), [SFP-1000-90VT](#), [SFP-1250-80VT](#), [SFP-1250-90VT](#), [SFP-1500-80VT](#), [SFP-1500-80-VT](#), [SFP-1500-90VT](#), [SFP-2000-90VT](#), [SFP-2000-90-VT](#), [SFP-200-30VT](#), [SFP-200-70VT](#), [SFP-250-30VT](#), [SFP-250-70VT](#), [SFP-300-30VT](#), [SFP-300-70VT](#), [SFP-400-30VT](#), [SFP-400-70VT](#), [SFP-450-30VT](#), [SFP-450-70VT](#), [SFP-500-30VT](#), [SFP-500-70VT](#), [SFP-750-30VT](#), [SFP-750-70VT](#), [SFP-750-70-VT](#), [SFP-750-80VT](#)

Last Updated on 2022-12-19

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Internal-combustion Engines for Driving Stationary Fire Pumps

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX16109

Trademark and/or Tradename:



Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**DIESEL ENGINES RATED AT SPECIFIC SPEEDS**, Model(s): [BS012430LSF](#), [BS012450LSF](#), [BS012455LSF](#), [BS012475LSF](#), [BS012480LSF](#), [BS012500LSF](#), [BS012502LSF](#), [BS012510LSF](#), [BS012515LSF](#), [BS012518LSF](#), [BS012530LSF](#), [BS012545LSF](#), [BS012548LSF](#), [BS012550LSF](#), [BS012552LSF](#), [BS012570LSF](#), [BS012585LSF](#), [BS012588LSF](#), [BS03015MSE](#), [BS03020MSE](#), [BS04030MSE](#), [BS04036MSE](#), [BS04040MSE](#), [BS04040TMSE](#), [BS04050MSE](#), [BS04050TMSE](#), [BS04056TMSE](#), [BS04057MSE](#), [BS04057TMSE](#), [BS04070MSE](#), [BS04075MSE](#), [BS04079MSE](#), [BS04080MSE](#), [BS04090MSE](#), [BS04100MSE](#), [BS04110MSE](#), [BS04111MSE](#), [BS06100MSE](#), [BS06110MSE](#), [BS06118MSE](#), [BS06120MSE](#), [BS06128MSE](#), [BS06150MSE](#), [BS06160MSE](#), [BS06175MSE](#), [BS06186MSE](#), [BS06200AMSE](#), [BS06200MSE](#), [BS06210AMSE](#), [BS06210MSE](#), [BS06212MSE](#), [BS06215AMSE](#), [BS06215MSE](#), [BS06218MSE](#), [BS06220MSE](#), [BS06220MSE](#), [BS06230MSE](#), [BS06240MSE](#), [BS06240MSE](#), [BS06250MSE](#), [BS06250MSE](#), [BS06259MSE](#), [BS06260MSE](#), [BS06265MSE](#), [BS06265MSE](#), [BS06270MSE](#), [BS06272MSE](#), [BS06275MSE](#), [BS06275MSE](#), [BS06280MSE](#), [BS06290MSE](#), [BS06300LSF](#), [BS06300MSE](#), [BS06310LSF](#), [BS06310MSE](#), [BS06320LSF](#), [BS06320MSE](#), [BS06329LSF](#), [BS06330MSE](#), [BS06336LSF](#), [BS06343LSF](#), [BS06350LSF](#), [BS06370LSF](#), [BS06372LSF](#), [BS06375LSF](#), [BS06390LSF](#), [BS06400LSF](#), [BS06405LSF](#), [BS06407LSF](#), [BS06410LSF](#), [FC3015](#), [FC3015-UL](#), [FC3020](#), [FC3020-UL](#), [FC4040](#), [FC4040-UL](#), [FC4060](#), [FC4060-UL](#), [FC4085](#), [FC4085-UL](#), [FC6130](#), [FC6130-UL](#), [FC6150](#), [FC6150-UL](#), [FC6195](#), [FC6195-UL](#), [FC6250](#), [FC6250-UL](#), [FC6300](#), [FC6300-UL](#)

**DIESEL ENGINES RATED FOR USE WITHIN SPEED RANGES**, Model(s): [BS04100MSR](#), [BS0440MSR](#), [BS06200MSR](#), [BS06225MSR](#), [BS06250MSR](#), [BS06275MSR](#), [BS06300MSR](#), [BS06330MSR](#), [BS06400LSR](#), [BS06450LSR](#), [BS12550LSR](#), [BS12650LSR](#)

Last Updated on 2024-10-07

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."



# Aboveground Flammable-liquid Tanks

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

MH60783

Trademark and/or Tradename: "SFFECO" , 

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): Aboveground tanks for flammable liquids on supports

Model(s): Secondary containment aboveground tanks for flammable liquids

Model(s): Secondary containment aboveground tanks for flammable liquids on supports

,,, Model(s): Aboveground tanks for flammable liquids

Last Updated on 2024-04-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

## Cabinets

[See General Information for Cabinets](#)

**SAUDI FACTORY FOR FIRE EQUIPMENT CO**

R39545

2ND INDUSTRIAL AREA

AL-KHARJ RD

PO BOX 58469

RIYADH, 11515 SAUDI ARABIA

**Fire Extinguisher / Equipment/ Valve Cabinet, series.** SFRC-XXXX-X-XXX-X-X, where SFRC shall be followed by Cabinet Size (Nominal) in Inches (W & H) followed by Mounting type, "R" - Recessed, "S"- Surface, "M" - Semi-recessed, followed by Door Configuration, "SD" - Single Door, "DH" - Double Door Horizontal, "DV" - Double Door Vertical, "MD" - Multiple Door, followed by Number of Compartment (1, 2, 3 etc.), followed by Type of Glazing, "A" - ANSI Safety Glass, "C" - Clear or Float Glass, "W" - Wired Glass, "L" - UL listed Glass, "F" - Flush (No Glass), followed by Type of Material, "S" - Stainless Steel, "M" - Mild Steel, "C" - Combination of SS and MS, for use in Penetration Firestop System No. [W-K-7003](#).

[Last Updated](#) on 2018-10-10

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Nozzles, Hose Stream

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX27277

*View model for additional information*

**Air aspirated-type**, Model(s): [SF-FS-HN-119LX-D](#), [SF-FS-HN-40JSLX-D](#), [SF-FS-HN-59LX-D](#)

Last Updated on 2024-04-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Fire Hose, Lined, Uncoupled, for Municipal and Industrial Use

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX16299

Trademark and/or Tradename:



Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**Double-jacketed**, Model(s): [SFDJ40R-UL](#), [SFDJ65R-UL](#)

**Single-jacketed**, Model(s): [SFSJ40R-UL](#), [SFSJ65R-UL](#)

Last Updated on 2024-04-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Fire Hose for Interior Standpipe, Lined, Uncoupled

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX27493

*View model for additional information*

**Single-jacketed fire hose**, Model(s): SFD-FH-SJ40HR

Last Updated on 2024-04-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

*Note: In the process of enhancing our systems, we are transitioning data to a new PiQ data view. This data is being verified with the "Historical" view for accuracy. Once the data is confirmed, the "Historical" view will be discontinued. During this transition, you may encounter duplicate entries or missing/outdated data. For queries during this interim period, please visit our [Historical View FAQs](#) or contact our [Customer Service](#).*

## Hose Valves

### COMPANY

#### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX16343

**Angle type, 1-1/2 and 2-1/2 in., with female/female and female/male ends, for 300 psi working pressure, Model(s) SF**

Last Updated on 2023-02-10

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Hose Valves

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX16343

*View model for additional information*

**Angle Type - 90°**, Model(s): SE

Last Updated on 2024-04-22

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Nozzles, Spray Hose, Portable

## COMPANY

### SFFECO GLOBAL FZE


S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX16300

Trademark and/or Tradename: 

Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**Basic spray nozzle**, Model(s): [SFD-NH-40](#), [SFD-NH-65](#), [SFD-NH-83-40](#)

Last Updated on 2024-04-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."



Note: In the process of enhancing our systems, we are transitioning data to a new PiQ data view. This data is being verified with the "Historical" view for accuracy. Once the data is confirmed, the "Historical" view will be discontinued. During this transition, you may encounter duplicate entries or missing/outdated data. For queries during this interim period, please visit our [Historical View FAQs](#) or contact our [Customer Service](#).

## Pressure-reducing and -Restricting Devices

### COMPANY

SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX28062

### Reducing valves

Model	Valve Type	Body Type	NPS	Bonnet Type*	End Configuration Inlet by Outlet	Max Rated Inlet Pressure, psig	Supervisory Switch+
SF-PRV35	Restricting - Adjustable	Angle	1.5	—	Female X Male Female X Female	175	—
SF-PRV40	Restricting - Adjustable	Angle	2.5	—	Female X Male Female X Female	175	—

\* Different bonnet configurations are selected based upon inlet pressure conditions and desired outlet pressure.

+ I = Indoor installation; O = Outdoor installation

NPT - National Pipe Thread

Trademark and/or Tradename: "SFFECO",

Last Updated on 2023-02-10

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

## Pressure-reducing and -Restricting Devices

### COMPANY

#### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX28062

*View model for additional information*

**Restricting Valve**, Model(s): [SF-PRV35](#), [SF-PRV40](#)

Last Updated on 2024-04-22

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

# Hydrants

## COMPANY

### SFFECO GLOBAL FZE

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, 261318 United Arab Emirates

EX16453

Trademark and/or Tradename:



Note: For additional marking information, refer to the [Guide Information Page](#).

*View model for additional information*

**Base-Valve Design**, Model(s): [SF-F-06](#)

**Wet-Barrel Design**, Model(s): [SFD-250-WH](#), [SFD-250-WH-1](#), [SFD-250-WH-10](#), [SFD-250-WH-2](#), [SFD-250-WH-3](#), [SFD-250-WH-4](#), [SFD-250-WH-5](#), [SFD-250-WH-6](#), [SFD-250-WH-7](#), [SFD-250-WH-8](#), [SFD-250-WH-9](#)

Last Updated on 2024-09-11

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."